UNITED STATES JUDICIAL PANEL on MULTIDISTRICT LITIGATION

CHAIRMAN: John G. Heyburn II United States District Court Western District of Kentucky MEMBERS: Robert L. Miller, Jr. United States District Court Northern District of Indiana

Kathryn H. Vratil United States District Court District of Kansas

David R. Hansen United States Court of Appeals Eighth Circuit W. Royal Furgeson, Jr. United States District Court Northern District of Texas

Frank C. Damrell, Jr. United States District Court Eastern District of California

David G. Trager United States District Court Eastern District of New York DIRECT REPLY TO:

Jeffery N. Lüthi Clerk of the Panel One Columbus Circle, NE Thurgood Marshall Federal Judiciary Building Room G-255, North Lobby Washington, D.C. 20002

Telephone: [202] 502-2800 Fax: [202] 502-2888 http://www.jpml.uscourts.gov

January 20, 2010

Teresa Deppner, Clerk Post Office Box 2546 Charleston, WV 25329-2546

Re: MDL No. 1968 -- IN RE: Digitek Products Liability Litigation

(See Attached CTO-26)

Dear Ms. Deppner:

Attached as a PDF document is a certified copy of a conditional transfer order filed by the Panel in the above-captioned matter on <u>January 5, 2010</u>. As stipulated in Rule 7.4(a) of the <u>Rules of Procedure of the Judicial Panel on Multidistrict Litigation</u>, 199 F.R.D. 425, 435-36 (2001), transmittal of the order has been stayed 14 days to give any party an opportunity to oppose the transfer. The 14-day period has now elapsed, no opposition was received, and the order is directed to you for filing.

The Panel's governing statute, 28 U.S.C. §1407, requires that the transferee clerk "...transmit a certified copy of the Panel's order to transfer to the clerk of the district court from which the action is being transferred."

A list of involved counsel, judges and clerks are attached.

Very truly,

Jeffery N. Lüthi Clerk of the Panel

Denise Morgan-Stone Deputy Clerk

Attachments (Conditional Transfer Order is a Separate Document)

cc: Transferee Judge: Judge Joseph R. Goodwin